

4115-150-CIP-DIV

SECTION I
AMENDMENTS

RECEIVED
CENTRAL FAX CENTER

OCT 11 2007

IN THE CLAIMS:

Please amend claims 1, 2, 5, and 11 as set forth below.

Complete Listing of the Claims

Upon entry of the present amendment, the claims will stand as follows. The following listing of the claims will replace all prior versions and listings of the claims in the present application:

1. (Currently amended) A transgenic rat, whose genome comprises at least one copy of a transgene encoding at least a portion of a CD4 protein sufficient for binding to gp120, operably linked to a PBMC-specific promoter sufficient for expression of the at least a portion of the CD4 protein, wherein CD4 encoded by the transgene is expressed on PBMCs of the transgenic rat and wherein the transgenic rat is adapted to a model of human HIV-1 infection binding.
2. (Currently amended) The transgenic rat of claim 1, wherein the genome further comprises a transgene encoding for at least a portion of CCR5 and wherein the transgenic rat is a model of human HIV-1 infection.
3. (Original) The transgenic rat of claim 2, wherein CD4 is human CD4.
4. (Original) The transgenic rat of claim 3, wherein the human CD4 is a full length CD4 protein.
5. (Currently amended) The transgenic rat of claim 2, wherein the at least a portion of a CD4 protein and the at least a portion of CCR5 encoded by the respective transgenes are capable of mediating entry of HIV-1 into the PBMC on which the at least a portion of CD4 is expressed.
6. (Original) A cell from the transgenic rat of claim 3.
7. (Original) A cell from the transgenic rat of claim 4.
8. (Original) The cell of claim 6, which is a germ cell.

4115-150-CIP-DIV

9. (Original) The cell of claim 8, which is a somatic cell.
10. (Original) The cell of claim 6, which is an egg.
11. (Currently amended) A transgenic rat, whose genome comprises a gene encoding CXCR4 and at least one copy of a transgene encoding at least a portion of a CD4 protein sufficient for binding to gp120, operably linked to a PBMC-specific promoter sufficient for expression of the at least a portion of the CD4 protein, wherein CXCR4 encoded by the gene and CD4 encoded by the transgene are expressed on PBMCs of the transgenic rat and wherein the transgenic rat is adapted to a model of human HIV-1 infection.
12. (Withdrawn) An assay for identifying a molecular antagonist compound, which interferes with a lentivirus ligand-CD4 receptor interaction, comprising the steps of:
 - (a) administering the molecular antagonist compound to a transgenic rat of claim 1; and
 - (b) determining the level of interaction between the lentivirus ligand and CD4 receptor expressed on PBMCs of the transgenic rat, wherein a difference in the level of interaction between the lentivirus ligand and CD4 receptor expressed on PBMCs of the transgenic rat relative to that in a transgenic rat to which the compound was not administered indicates that the compound interferes with the lentivirus ligand and the CD4 receptor.
13. (Withdrawn) The method according to claim 12, wherein the lentivirus ligand is HIV-1 gp120.
14. (Withdrawn) A method for identifying a compound which inhibits infection of a human cell by HIV-1, comprising
 - (a) administering a test compound to a transgenic rat of claim 3 or contacting a cell thereof with the test compound; and
 - (b) determining the level of HIV or gene product thereof in the transgenic rat or cell thereof of step (a),wherein a lower level of HIV or gene product thereof in the transgenic rat or cell thereof of step (a) relative to that in a transgenic rat to which the test compound was not administered or cell that was not contacted with the test compound, respectively, indicates that the test compound inhibits infection by HIV.

4115-150-CIP-DIV

15. (Withdrawn) The method of claim 14, comprising determining the level of HIV by determining the level of p24.
16. (Withdrawn) The method of claim 14, comprising determining the level of one or more HIV RNAs.
17. (Withdrawn) The method of claim 14, comprising determining the level of one or more HIV proteins.
18. (Withdrawn) A method for identifying a compound which reduces infection of a human cell by HIV, comprising
 - (a) administering a test compound to a transgenic rat of claim 1; and
 - (b) determining the presence of at least one symptom characteristic of AIDS in the transgenic rat,wherein the reduction of at least one symptom of HIV in the transgenic rat of step (a) relative to that in a transgenic rat to which the test compound was not administered, indicates that the test compound inhibits infection by HIV.
19. (Withdrawn) A method for testing or determining the efficiency of a test vaccine against HIV, comprising administering to a transgenic rat of claim 1, a vaccine, infecting the transgenic rat with HIV, and determining the level of HIV or gene product thereof, wherein the presence of less HIV or product thereof in a rat having been administered the vaccine relative to a transgenic rat that has not received the vaccine indicates that the test vaccine is efficient.
20. (Withdrawn) An assay for identifying a test compound, which interferes with a lentivirus ligand- CD4 receptor interaction, comprising the steps of:
 - (a) incubating a cell of the transgenic rat of claim 3 with a lentivirus ligand and the test compound; and
 - (b) determining the level of interaction between the lentivirus ligand and CD4 receptor expressed on the cell of the transgenic rat, wherein a difference in the level of interaction relative to that of a cell that was not contacted with the test compound indicates that the test compound interferes with the lentivirus ligand and the CD4 receptor.

4115-150-CIP-DIV

21. (Withdrawn) The method according to claim 19, wherein the lentivirus ligand is HIV-1 gp120.

THE REMAINDER OF THIS PAGE IS INTENTIONALLY LEFT BLANK